

101 675082

co/c

Patent No. 7,270,654 B2

I hereby certify that this correspondence is being deposited on 1/29/08 with the United States Postal Service with sufficient postage as first class mail under 37 CFR 1.8 in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



Date 1/29/08

Signature: Joanne Ryan

Joanne Ryan

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

APPLICANT(S) : John A. Griego et al.

PATENT NO. : 7,270,654 B2

ISSUED : September 18, 2007

TITLE : Delivering Material To A Patient

DOCKET : 00-0032US2

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
FEB 06 2008
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION

Applicant's attorney, on behalf of the Assignee of record, hereby requests the issuance of a Certificate of Correction for the following Applicant errors pursuant to 35 USC §255 and for the following Patent Office errors pursuant to 35 USC §254:

Correction is requested for the following Patent Office errors:

Col. 5, line 12, after "may", delete --,--.

Col. 5, line 43, after "200", change "-of" to --of--.

02/01/2008 WASFAW1 00000028 501047 7270654

01 FC:1811 100.00 DA

RECEIVED-USPTO
Patent Publication

FEB 6 2008

Col. 8, line 52, after “the”, change “gull-like” to --gun-like--.

Claim 14, Col. 15, line 3, after “opening;”, change “(2) and” to --and (2)--.

Correction is requested for the following Applicant errors:

Col. 2, line 22, after first word “and”, change “second pumps” to --a second pump--.

Col. 2, line 25, after “e.g.”, insert --,--.

Col. 5, line 52, after “two-way”, change “flow control” to --flow-control--.

Col. 6, line 14, after “(FIGS. 4c-d)”, insert --,--.

Col. 6, line 15, after “valve”, insert --210--.

Col. 6, line 29, after “that”, change “opens” to --open--.

Col. 7, line 22, after “elevated,”, insert --,--.

Col. 10, line 7, after “acids,”, change “carboxy methyl” to --carboxymethyl--.

Col. 12, line 24, after “and”, change “second materials” to --a second material--.

Col. 13, line 46, after “of”, change last word “solution” to --Solution--.

Col. 13, line 51, after “listed”, change “above in” to --above.--.


Col. 13, line 57, after “Syringe 2”, change “forwards” to --forward--.

Patent No. 7,270,654 B2

The PTO is hereby authorized to charge the undersigned attorney's PTO deposit account #50-1047 accordingly.

A PTO-1050 is enclosed; a Certificate of Correction is respectfully requested.

Respectfully submitted:



Keum J. Park, Reg. No. 42,059
Attorney for Applicant
Mayer & Williams PC
251 North Avenue West, 2nd Floor
Westfield, NJ 07090

Date: January 29, 2008

Tel.: 908-518-7700
Fax: 908-518-7795

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 7,270,654 B2

DATED : September 18, 2007

INVENTOR(S): John A. Griego et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 2, line 22, after first word "and", change "second pumps" to --a second pump--.

Col. 2, line 25, after "e.g.", insert --,--.

Col. 5, line 12, after "may", delete --,--.

Col. 5, line 43, after "200", change "-of" to --of--.

Col. 5, line 52, after "two-way", change "flow control" to --flow-control--.

Col. 6, line 14, after "(FIGS. 4c-d)", insert --,--.

Col. 6, line 15, after "valve", insert --210--.

Col. 6, line 29, after "that", change "opens" to --open--.

Col. 7, line 22, after "elevated", insert --,--.

Col. 8, line 52, after "the", change "gull-like" to --gun-like--.

MAILING ADDRESS OF SENDER:

Keum J. Park, Reg. No. 42,059
Mayer & Williams PC
251 North Avenue West, 2nd Floor
Westfield, NJ 07090

PATENT NO. 7,270,654 B2No. of additional copies 1**RECEIVED-USPTO**
Patent Publication**FEB 6 2008**

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete the form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1350.

If you need assistance in completing the form, call 1-800- PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO : 7,270,654 B2

DATED : September 18, 2007

INVENTOR(S): John A. Griego et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 10, line 7, after "acids," change "carboxy methyl" to --carboxymethyl--.

Col. 12, line 24, after "and", change "second materials" to --a second material--.

Col. 13, line 46, after "of", change last word "solution" to --Solution--.

Col. 13, line 51, after "listed", change "above in" to --above.--.

Col. 13, line 57, after "Syringe 2", change "forwards" to --forward--.

Claim 14, Col. 15, line 3, after "opening;" change "(2) and" to --and (2)--.

MAILING ADDRESS OF SENDER:

Keum J. Park, Reg. No. 42,059
Mayer & Williams PC
251 North Avenue West, 2nd Floor
Westfield, NJ 07090

PATENT NO. 7,270,654 B2

No. of additional copies 0

RECEIVED-USPTO
Patent Publication

FEB 6 2008

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete the form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1350.

If you need assistance in completing the form, call 1-800- PTO-9199 and select option 2.